# Monthly Newsletter The Folicare

Free please take a copy



April 2023 | Issue Number 98

# **Accepting new patients**

**Contact Your Podiatrists** 


The Footcare Centre 01932 849373

info@thefootcarecentre.co.uk

8 Monument Green Weybridge Surrey KT13 8QS

Web:

www.thefootcarecentre.co.uk



## **Working on Your Feet**

Standing for prolonged periods of time can cause damage to your feet. Unfortunately, this may be a necessary part of the job for many working people.

Common foot conditions that may occur as a result of being on your feet all day include foot pain, blisters, calluses, corns, arthritis, toe deformities, sprains, bunions, athlete's foot, and fallen arches.

There are certain steps that you can take to prevent work-related foot problems. If you are on your feet all day, it is recommended that you avoid shoes that have high heels, pointed toes, a fit that is too loose or too tight, and a lack of arch support. If you work in a place where foot injuries are a common occupational hazard, such as a construction zone, wearing the right shoes becomes increasingly important. Wearing comfortable, properly

fitted, supportive shoes made of breathable materials can mitigate the risk of developing a variety of foot problems.

Maintaining an immobile, upright stance for prolonged periods of time is bad for your foot health. If possible, take breaks throughout the day to sit down, stretch, and walk around. At home, take care of your feet with a daily foot care routine

Wash the feet daily with soap and water and dry them thoroughly. Apply a moisturizer to prevent cracked heels. When trimming the toenails, trim straight across to avoid ingrown toenails. Wear clean socks daily. If you notice any problems developing in your feet or ankles, consult with your podiatrist, who can diagnose and treat your condition and help you maintain the health of your feet.



## Capsulitis (A Common Form Of Metatarsalgia)

Capsulitis can cause a lot of pain. This condition affects primarily the ball of the foot and can worsen if not treated properly and in time. However, there are some simple procedures that can help you avoid the pain it causes and, more importantly, having to go through surgery.

#### What Is Capsulitis?

Capsulitis is inflammation of the joint / joint capsules. It typically affects the metatarsal

phalangeal joint (MPJ). Most of the time, it affects the second toe of the foot, right next to the great toe. It occurs when the dense capsulitis region located at the joint has inflammation.

This description of capsulitis becomes crucial when treating it, as it may be confused with other conditions that affect the same joint or have similar symptoms.



Morton's Neuroma, for instance, affects a similar region but involves compressed nerves instead of the joint.

#### **Symptoms**

The first and most noticeable symptom of capsulitis is pain in the ball of the foot. It feels like having some kind of debris in your shoe and stepping on it when walking. At first, it may feel like discomfort, but if left to progress, the pain can increase to an almost unbearable level.

This pain can also be accompanied by swelling and irritation. During the most painful stages, simple procedures such as putting on your shoes may feel uncomfortable.

Calluses may form right under the affected area, and hammer toes or crossover toes can also occur in the same or neighboring toes.

#### Causes of Capsulitis

Capsulitis can be caused by different factors. While not all of them will result in this condition, they may lead to an inflammation of the affected joint. The most common causes are:

- Poor walking tendencies, such as weighing your body on the wrong part of your feet
- Trauma to the joint, such as jumping barefoot
- Pre-existing conditions like arthritis

## Capsulitis (cont'd from previous page)

 Constant use of improper footwear, like high heels

### Diagnosis and Treatment

While specialists can diagnose capsulitis clinically by carefully examining the affected foot, it may also sometimes require studies, such as X-rays, an ultrasound scan or measurements of the pressure under your feet. It could take more than one visit to

confirm the diagnosis if your podiatrist needs to see how the condition progresses.

Rest, ice and elevation are common noninvasive procedures a Podiatrist can prescribe. Sometimes where appropriate anti-inflammatories or injections of cortisone may be employed.

Long term, depending on how severe the condition is, there are some surgical procedures that may help manage capsulitis.



Your Podiatrist may recommend wearing special shoes, or avoiding using high heels, flip-flops, and other uncomfortable footwear. Often custom made orthotics to target abnormal pressure areas and redistribute these are prescribed in the management of capsulitis.

If you happen to feel pain under the ball of the foot and are unsure if it is capsulitis, be sure to visit us soon for a consultation and treatment plan. ◆

The Footcare Centre 8 Monument Green Weybridge Surrey KT13 8QS Phone: 01932 849373

#### E-Mail:

info@thefootcarecentre.co.uk

#### Web Site:

#### www.thefootcarecentre.co.uk

If you would like a copy of this newsletter emailed to you every month, then please let reception know and they will ensure that your email address is added to our distribution list.

The Care,
Professionalism and
Time that your feet
deserve



#### 2022 Questionnaire results

We have compiled the feedback that we have received for our patients during 2022. We are proud to have received such great feedback and are happy to share these with you below:

### **Patient Questionnaire Stats**

Overall	Good	Outstanding
Our timeliness?	19.4%	74.2%
The practice environment?	51.6%	45.2%
Our professionalism?	16.1%	83.9%
Our clinical care?	16.1%	83.9%
Your overall experience?	16.1%	83.9%

Would you be willing to write a Google review about your experience today? If so, please visit:



### https://goo.gl/rN1MEF

Your feedback is highly appreciated and important to us and we look forward to reading your comments.

Like / Follow us.....





**Attribution:** All images are from Unsplash/ Brooke Cagle, Verity Sanders, Davide Ligabue, and Guilherme Stecanella.